

**Healthcare Associated Infection (HAI)
Quarterly Report – August 2020**

The following HAIRT report contains NHS Grampian’s surveillance data and associated infection rates as reported in Health Protection Scotland’s (HPS) Quarterly Epidemiological Data for Quarter 1 (January to March 2020) published on 7th July 2020.

HAI Summary - Quarter Ending March 2020

***Clostridioides difficile* infection (CDI)**


The total number of CDI cases in patients reported to HPS was 27 – 10.9% of the total across Scotland and an increase of 8% from 25 in the previous quarter.

17 CDI cases were reported to HPS as healthcare associated. This corresponded to an incidence rate of 12.9 cases per 100,000 total occupied bed days (TOBDs) which was below the Scotland wide rate of 13.5 per 100,000 TOBDs.

10 CDI cases were reported as community associated. This corresponded to an incidence rate of 6.9 cases per 100,000 population, which was above the Scotland wide rate of 3.5 cases per 100,000 population.

Surgical Site Infection (SSI)

Epidemiological data for SSI are not available for this quarter due to the pausing of surveillance to support the COVID-19 response.



***Staphylococcus aureus* bacteraemia (SAB)**

The total number of SAB cases in patients reported to HPS was 32 – 8.2% of the total across Scotland and a decrease of 3% from 33 in the previous quarter.

16 SAB cases were reported to HPS as healthcare associated. This corresponded to an incidence rate of 12.2 cases per 100,000 TOBDs. The Scotland wide rate was higher at 16.3 cases per 100,000 TOBDs.

16 SAB cases were reported as community associated. This corresponded to an incidence rate of 11.0 cases per 100,000 population, exactly equal to the Scotland wide rate.

***Escherichia coli* bacteraemia (ECB)**

The total number of ECB cases in patients reported to HPS was 97 – 9.2% of the total across Scotland and a decrease of 4.0% from 101 in the previous quarter.

49 ECB cases were reported to HPS as healthcare associated. This corresponded to an incidence rate 37.3 cases per 100,000 TOBD compared to the Scotland wide rate of 36.4 cases per 100,000 TOBDs.

48 ECB cases were reported as community associated. This corresponded to an incidence rate of 33.0 cases per 100,000 population, which was below the Scotland wide rate of 37.8 per 100,000 population.

Additional Surveillance not reported in Health Protection Scotland's Quarterly Epidemiological report:

Methicillin-Resistant *Staphylococcus Aureus* (MRSA) Screening

MRSA (CRA) screening compliance for Quarter 1 (April – June 2020) was 82%, which is below both the compliance target of 90% and the national average (84%).

Carbapenemase Producing Enterobacteriaceae (CPE) Screening

CPE (CRA) screening compliance for Quarter 1 (April – June 2020) was 78%, which is below both the compliance target (90%) and the national average (80%).

Norovirus

For the period April – June 2020 there were no ward closures in NHS Grampian due to enteric illness.

Health Facilities Scotland (HFS)

The cleaning compliance for April – June 2020 was 94% and the estates monitoring compliance was 95%; both these scores are above the national targets of 90%.

1. Actions Recommended

The Board is requested to note the content of this summary quarterly HAI Report, as directed by the HAI Policy Unit, Scottish Government Health Directorates.

2. Strategic Context

- Updated Healthcare Associated Infections (HCAI) Standards for Scotland
- Updated Antibiotic Use Indicators for Scotland
- National Key Performance Indicators for MRSA screening
- National Key Performance Indicators for CPE screening
- National Health Facilities Scotland (HFS) Environmental Cleaning Target
- National Health Facilities Scotland (HFS) Estates Monitoring Target
- National Hand Hygiene Compliance Target

3. Key matters relevant to recommendation

| Issue | Group | Target | Period & source | NHS Scot | NHS G | RAG* |
|---------------------------------|---------------------------------|--------------------|---------------------|----------|--------|--------|
| CDIs | Healthcare Associated Infection | Reduction of 10%^ | Jan – Mar 2020, HPS | 13.5 | 12.9 | Green |
| | Community Associated Infection | - | | 3.5 | 6.9 | Amber |
| <i>E coli</i> Bacteraemia | Healthcare Associated Infection | Reduction of 25%^^ | Jan – Mar 2020, HPS | 36.4 | 37.3 | Amber |
| | Community Associated Infection | - | | 37.8 | 33.0 | Green |
| SABs | Healthcare Associated Infection | Reduction of 10%^ | Jan – Mar 2020, HPS | 16.3 | 12.2 | Green |
| | Community Associated Infection | - | | 11.0 | 11.0 | Green |
| Surgical Site Infections (SSIs) | Caesarean Section | - | Jan – Mar 2020, HPS | N/A ** | N/A ** | N/A ** |
| | Hip Arthroplasty | - | Jan – Mar 2020, HPS | N/A ** | N/A ** | N/A ** |
| MRSA (CRA) screening | - | HPS 90% | Apr – Jun 2020, HPS | 84 | 82 | Amber |
| CPE (CRA) screening | - | HPS 90% | Apr – Jun 2020, HPS | 80 | 78 | Amber |

***RAG (Red / Amber / Green) Status**

Above upper control limit = **Red**
 Below National average = **Green**

Below upper control limit but above National average = **Amber**
 Below lower control limit = **Green**

[^] Reduction of 10% in the national rate from 2019 to 2022, with 2018/19 used as the baseline for reduction

^{^^} An initial reduction of 25% by 2021/22, with 2018/19 used as the baseline for reduction
 Reduction of 50% by 2023/24

^{**} Surveillance paused to support the COVID-19 response

| Issue | Group | Target | Period & source | NHS Scot | NHS G | RAG* |
|--------------|-----------------------------|-------------|----------------------------|----------|-------|-------|
| Cleaning | All clinical areas | HFS 90% | Apr – Jun 2020, NHSG | N/A | 94 | Green |
| Estates | | HFS 90% | Apr – Jun 2020, NHSG | N/A | 95 | Green |
| Hand Hygiene | Nursing staff | SGHD 90% | Apr – Jun 2020, NHSG | N/A | 99 | Green |
| | Medical staff | SGHD 90% | Apr – Jun 2020, NHSG | N/A | 97 | Green |
| | Allied Health Professionals | SGHD 90% | Apr – Jun 2020, NHSG | N/A | 99 | Green |
| | Ancillary staff | SGHD 90% | Apr – Jun 2020, NHSG | N/A | 98 | Green |

***RAG (Red / Amber / Green) Status**

Above upper control limit = **Red**
Below National average = **Green**

Below upper control limit but above National average = **Amber**
Below lower control limit = **Green**

4. Risk Mitigation

By noting the contents of this report, the Board will fulfil its requirement to seek assurance that appropriate surveillance of healthcare associated infection is taking place and that this surveillance is having a positive impact on reducing the risk of avoidable harm to the patients of NHS Grampian.

5. Responsible Executive Director and contact for further information

If you require any further information in advance of the Board meeting please contact:

Responsible Executive Director

Caroline Hiscox
Executive Nurse Director
carolinehiscox@nhs.net

Contact for further information

Grace Johnston
Interim Infection Prevention & Control Manager
grace.johnston@nhs.net

Antibiotic Use Indicators for Scotland

The national indicators, agreed by the Scottish Antimicrobial Prescribing Group (SAPG), and approved by the Scottish Government in October 2019 are detailed below:

1. A 10% reduction of antibiotic use in Primary Care (excluding dental) by 2022, using 2015/16 data as a baseline (items/1000/day)

Work is ongoing in primary care to reduce overall antibiotic use which continues to decrease. E-prescribing data showed an initial small spike (over a 2 week period) in prescriptions for antibiotics commonly used for treatment of respiratory tract infection (amoxicillin, doxycycline, clarithromycin, azithromycin and co-amoxiclav) during the early weeks of the COVID-19 pandemic. Since the end of March prescription rates for these antibiotics have fallen to well below that of 2019. The NHS Grampian picture mirrors the national trend. Updated empiric guidance namely The NHS Grampian Protocol For The Treatment of Common Infections in Adults in Primary Care along with NHS Grampian Guidance notes on the Treatment of Children in Primary Care were published in April with a focus on reduction of course duration to 5 days especially for respiratory tract infections. Resulting updates to GP computer systems and the Electronic Joint Formulary are to follow but are not under the control of the AMT.

2. Use of intravenous antibiotics in secondary care defined as DDD/1000population/day will be no higher in 2022 than it was in 2018

NHS Grampian are currently meeting this target. The DDD/1000population/day for Q1 2018 was 0.82. The NHS Grampian figure for Q1 2020 is 0.78. To maintain and improve progress towards this target the AMT are in the process of approving an updated IV to oral switch (IVOST) guideline which will be launched, followed by implementation of the Hospital Antibiotic Review Programme (HARP) resource from SAPG.

3. Use of WHO Access antibiotics (NHSE list) \geq 60% of total antibiotic use in Acute hospitals by 2022

NHS Grampian is currently meeting this target with 68.2% of total antibiotic use in acute hospitals from the WHO Access list.

The Scottish Antimicrobial Prescribing Group (SAPG) issued a document entitled '*Interim advice to Antimicrobial Management Teams (AMTs) on antibiotic management / antimicrobial stewardship in the context of the COVID-19 Pandemic*' in March 2020 and this was adapted for local use. Following a SAPG update, the local version was amended and published in May 2020. The AMT Chair and Antibiotic Pharmacists agreed an SBAR, giving more information on Antimicrobial Management Team (AMT) Activity and Antibiotic Consumption during the COVID-19 Pandemic, in June 2020.

Antimicrobial Management Team (AMT) Activity and Antibiotic Consumption during the COVID-19 Pandemic

Situation:

On March 11th 2020, the World Health Organisation (WHO) declared COVID-19 a pandemic. During this unprecedented period of pressure, it is recognised that changes will result in the operation of health services and the consumption of antimicrobial medications.

Background:

Antimicrobial Stewardship (AMS) activities are key to slowing the emergence of antibiotic resistance and managing antimicrobial usage. Prescribing indicators are dictated at a national level and progress towards these is the responsibility of the Antimicrobial Management Team (AMT). Additionally the AMT have an ongoing workplan, which includes (but is not limited to) responsibility for local antimicrobial prescribing policies and education. The AMT routinely have a monthly meeting, and report to the Grampian Area Drug and Therapeutics Committee (GADTC), as well as contributing to the Healthcare Associated Infection Reporting Template (HAIRT) for NHS Grampian. The Scottish Antimicrobial Prescribing Group (SAPG) issued a document entitled '*Interim advice to Antimicrobial Management Teams (AMTs) on antibiotic management / antimicrobial stewardship in the context of the COVID-19 pandemic*' on 13th March 2020, and an update on 13th May 2020. The document includes therapy choices for varying respiratory presentations.

Assessment:

The NHS Grampian AMT recognise the pressures on the health service during the current pandemic and will continue to provide support and information where requested.

The SAPG document '*Interim advice to Antimicrobial Management Teams (AMTs) on antibiotic management / antimicrobial stewardship in the context of the COVID-19 pandemic*' has been adapted for local use, endorsed by the AMT Chair, and made available on the NHSG intranet home page, Antimicrobial Companion app, Grampian Joint Formulary (GJF) and Grampian Guidance. The initial document was shared with all NHSG consultants, Senior Charge Nurses and pharmacists. The updated version was highlighted in the NHSG COVID daily brief.

The AMT predict there may be a local increase in the use of antibiotics for lower respiratory tract infections in both primary and secondary care, and in hospital an increase in broad spectrum antibiotics, particularly co-amoxiclav, piperacillin / tazobactam, and possibly ceftriaxone. This increased antibiotic consumption is likely to impact on progress towards national prescribing indicators and may impact negatively on Healthcare Associated Infection (HAI) rates e.g. *Clostridioides difficile*. With an anticipated increase in the proportion of the hospital population being frail/elderly, this may be particularly significant. Increased use of broad spectrum antibiotics may also negatively impact on the prevalence of multi-drug resistant organisms. Data recently obtained for antibiotic usage for inpatients at ARI during March and April has shown an increase in total antibiotic use per occupied bed day – particularly for amoxicillin, co-amoxiclav, piperacillin / tazobactam, and gentamicin. However, usage for high risk for CDI antibiotics has not exceeded monthly totals seen during the previous 12 months, likely due to the reduction in general hospital activity.

The AMT workplan was not able to continue in its current format, with staffing resources being concentrated on the NHS Grampian response to COVID-19, and essential daily workload. Routine physical AMT monthly meetings were suspended, with all essential communication via e-mail to protect staff and public representatives from close contact. However, an AMT meeting was held successfully at the end of May using TEAMS. The

AMT will continue to monitor local antimicrobial consumption data and facilitate audit of antibiotic prescribing (depending on staff resources available).

The primary care empirical prescribing guidance was approved, published and circulated during March.

The AMT co-ordinated the collection of data to contribute to a national point prevalence survey of antibiotic prescribing in patients with suspected / confirmed COVID-19, organised by SAPG. *Interim analysis of local data showed that 60% of patients with suspected / confirmed COVID-19 were prescribed antibiotics on admission and 54% were prescribed antibiotics at the time of the survey. Reasons for prescribing antibiotics were well documented and the choice of antibiotic (mainly for respiratory tract infections) was deemed to be appropriate in 85% of cases.*

Recommendation:

The NHS Grampian AMT will meet via TEAMS until further notice and while staff capacity allows.

The NHS Grampian AMT workplan should be suspended, with staff resources used to concentrate on the COVID-19 response and related national directives from SAPG.

The GADTC and NHSG Infection Prevention and Control Strategic Committee are asked to:

- a) Recognise and acknowledge that AMS activities will be limited at this time and local antimicrobial consumption figures are expected to rise
- b) Recognise the potential for increased HAI rates, e.g. *Clostridioides difficile*, and increased prevalence of drug-resistant organisms, and address accordingly
- c) Align AMT activities to work with IPCT in terms of mitigating identified outbreaks
- d) Consider adding these concerns to the relevant risk register

***Clostridioides (formerly Clostridium) difficile* Infection (CDI) Surveillance**

CDI is the most common cause of intestinal infections (and diarrhoea) associated with antimicrobial therapy. Clinical disease comprises a range of toxin mediated symptoms from mild diarrhoea, which can resolve without treatment, to severe cases such as pseudomembranous colitis, toxic megacolon and peritonitis that can lead to death¹.

In Scotland mandatory surveillance of CDI commenced in October 2006, with enhanced surveillance commenced in 2009. Historically HPS reported CDI cases based on age ranges 15-64yrs and 65yrs and above but since October 2017 the definitions have changed to healthcare associated infection or community associated infection for all patients over the age of 15 years.

Each new case of CDI is discussed at a weekly multidisciplinary team meeting involving Infection Prevention and Control Doctor(s), Infection Prevention and Control Nurses and Surveillance Nurses. By close investigation of each case and typing of the organisms – when indicated – the Infection Prevention and Control Team is assured that there have not been any outbreaks of CDI.

Further information on CDI surveillance can be found at:

<https://www.hps.scot.nhs.uk/web-resources-container/protocol-for-the-scottish-surveillance-programme-for-clostridium-difficile-infection-user-manual/>

Please see below for abbreviations used in the following tables:

| | | | |
|-----|-------------------------|------|-------------------------------|
| AA | Ayrshire & Arran | HG | Highland |
| BR | Borders | LO | Lothian |
| DG | Dumfries & Galloway | LN | Lanarkshire |
| FF | Fife | NWTC | National Waiting Times Centre |
| FV | Forth Valley | OR | Orkney |
| GGC | Greater Glasgow & Clyde | SH | Shetland |
| GR | Grampian | TY | Tayside |
| | | WI | Western Isles |

CDI cases and incidence rates (per 100,000 total occupied bed days) for healthcare associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Bed Days | Q4 Rate | Q1 Cases | Q1 Bed Days | Q1 Rate |
|------------------|-----------------|--------------------|----------------|-----------------|--------------------|----------------|
| AA | 21 | 111,501 | 18.8 | 17 | 107,446 | 15.8 |
| BR | 3 | 29,415 | 10.2 | 3 | 28,855 | 10.4 |
| DG | 6 | 46,458 | 12.9 | 12 | 44,334 | 27.1 |
| FF | 12 | 91,708 | 13.1 | 7 | 87,695 | 8.0 |
| FV | 13 | 79,712 | 16.3 | 9 | 76,312 | 11.8 |
| GR | 17 | 133,259 | 12.8 | 17 | 131,518 | 12.9 |
| GGC | 70 | 429,650 | 16.3 | 63 | 413,057 | 15.3 |
| HG | 8 | 73,909 | 10.8 | 16 | 71,286 | 22.4 |
| LN | 25 | 147,326 | 17.0 | 20 | 140,747 | 14.2 |
| LO | 42 | 249,135 | 16.9 | 25 | 240,426 | 10.4 |
| NWTC | 1 | 11,659 | 8.6 | 1 | 10,915 | 9.2 |
| OR | 0 | 2,915 | 0.0 | 0 | 3,184 | 0.0 |
| SH | 2 | 2,673 | 74.8 | 0 | 2,514 | 0.0 |
| TY | 8 | 117,973 | 6.8 | 8 | 111,519 | 7.2 |
| WI | 3 | 6,884 | 43.6 | 1 | 6,346 | 15.8 |
| Scotland | 231 | 1,534,177 | 15.1 | 199 | 1,476,154 | 13.5 |

- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- Figures include any updates received following the last publication

Funnel plot of CDI incidence rates (per 100,000 total occupied bed days) in healthcare associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- NHS Orkney and NHS Shetland overlap

CDI cases and incidence rates (per 100,000 population) for community associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Population | Q4 Rate | Q1 Cases | Q1 Population | Q1 Rate |
|------------------|-----------------|----------------------|----------------|-----------------|----------------------|----------------|
| AA | 6 | 369,360 | 6.4 | 9 | 369,360 | 9.8 |
| BR | 2 | 115,510 | 6.9 | 3 | 115,510 | 10.4 |
| DG | 2 | 148,860 | 5.3 | 2 | 148,860 | 5.4 |
| FF | 4 | 373,550 | 4.2 | 1 | 373,550 | 1.1 |
| FV | 0 | 306,640 | 0.0 | 1 | 306,640 | 1.3 |
| GR | 8 | 585,700 | 5.4 | 10 | 585,700 | 6.9 |
| GGC | 10 | 1,183,120 | 3.4 | 9 | 1,183,120 | 3.1 |
| HG | 3 | 321,700 | 3.7 | 3 | 321,700 | 3.8 |
| LN | 12 | 661,900 | 7.2 | 3 | 661,900 | 1.8 |
| LO | 11 | 907,580 | 4.8 | 6 | 907,580 | 2.7 |
| OR | 0 | 22,270 | 0.0 | 0 | 22,270 | 0.0 |
| SH | 0 | 22,920 | 0.0 | 0 | 22,920 | 0.0 |
| TY | 4 | 417,470 | 3.8 | 0 | 417,470 | 0.0 |
| WI | 1 | 26,720 | 14.8 | 1 | 26,720 | 15.1 |
| Scotland | 63 | 5,463,300 | 4.6 | 48 | 5,463,300 | 3.5 |

- Quarterly population rates are based on an annualised population
- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates
- Figures include any updates received following the last publication

Funnel plot of CDI incidence rates (per 100,000 population) in community associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates
- NHS Orkney and NHS Shetland overlap

National *Escherichia coli* Bacteraemia Surveillance Programme

Escherichia coli (*E.coli*) is the most frequent cause of Gram-negative bacteraemia in Scotland and is a frequent cause of infection worldwide. *E.coli* bacteraemia (ECB) usually develops as a complication of other infections including urinary tract infection, surgery, and use of medical devices e.g. catheters. The number of patients with ECBs reported to HPS has increased continually since 2009².

In Scotland, mandatory surveillance for this programme commenced in 2016.

The Healthcare Associated Infection (HAI) *E.coli* is measured as a rate per 100,000 total occupied bed days. However, community acquired infections are measured as a rate per 100,000 population.

Information on the national surveillance programme for *Escherichia coli* infection can be found at:

<https://www.hps.scot.nhs.uk/web-resources-container/quarterly-epidemiological-commentary-for-the-surveillance-of-healthcare-associated-infections-in-scotland-methods-caveats/>

ECB cases and incidence rates (per 100,000 total occupied bed days) for healthcare associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Bed Days | Q4 Rate | Q1 Cases | Q1 Bed Days | Q1 Rate |
|------------------|-----------------|--------------------|----------------|-----------------|--------------------|----------------|
| AA | 46 | 111,501 | 41.3 | 50 | 107,446 | 46.5 |
| BR | 14 | 29,415 | 47.6 | 10 | 28,855 | 34.7 |
| DG | 18 | 46,458 | 38.7 | 15 | 44,334 | 33.8 |
| FF | 55 | 91,708 | 60.0 | 42 | 87,695 | 47.9 |
| FV | 38 | 79,712 | 47.7 | 37 | 76,312 | 48.5 |
| GR | 53 | 133,259 | 39.8 | 49 | 131,518 | 37.3 |
| GGC | 151 | 429,650 | 35.1 | 123 | 413,057 | 29.8 |
| HG | 18 | 73,909 | 24.4 | 16 | 71,286 | 22.4 |
| LN | 77 | 147,326 | 52.3 | 64 | 140,747 | 45.5 |
| LO | 95 | 249,135 | 38.1 | 84 | 240,426 | 34.9 |
| NWTC | 1 | 11,659 | 8.6 | 0 | 10,915 | 0.0 |
| OR | 1 | 2,915 | 34.3 | 1 | 3,184 | 31.4 |
| SH | 3 | 2,673 | 112.2 | 1 | 2,514 | 39.8 |
| TY | 54 | 117,973 | 45.8 | 44 | 111,519 | 39.5 |
| WI | 2 | 6,884 | 29.1 | 2 | 6,346 | 31.5 |
| Scotland | 626 | 1,534,177 | 40.8 | 538 | 1,476,154 | 36.4 |

- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- Figures include any updates received following the last publication

Funnel plot of ECB incidence rates (per 100,000 total occupied bed days) in healthcare associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- NHS Orkney and NHS Western Isles overlap

ECB cases and incidence rates (per 100,000 population) for community associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Population | Q4 Rate | Q1 Cases | Q1 Population | Q1 Rate |
|------------------|-----------------|----------------------|----------------|-----------------|----------------------|----------------|
| AA | 41 | 369,360 | 44.0 | 52 | 369,360 | 56.6 |
| BR | 12 | 115,510 | 41.2 | 13 | 115,510 | 45.3 |
| DG | 21 | 148,860 | 56.0 | 20 | 148,860 | 54.0 |
| FF | 34 | 373,550 | 36.1 | 31 | 373,550 | 33.4 |
| FV | 53 | 306,640 | 68.6 | 39 | 306,640 | 51.2 |
| GR | 38 | 585,700 | 25.7 | 48 | 585,700 | 33.0 |
| GGC | 125 | 1,183,120 | 41.9 | 95 | 1,183,120 | 32.3 |
| HG | 43 | 321,700 | 53.0 | 20 | 321,700 | 25.0 |
| LN | 73 | 661,900 | 43.8 | 76 | 661,900 | 46.2 |
| LO | 63 | 907,580 | 27.5 | 70 | 907,580 | 31.0 |
| OR | 2 | 22,270 | 35.6 | 3 | 22,270 | 54.2 |
| SH | 4 | 22,920 | 69.2 | 1 | 22,920 | 17.5 |
| TY | 54 | 417,470 | 51.3 | 41 | 417,470 | 39.5 |
| WI | 5 | 26,720 | 74.2 | 5 | 26,720 | 75.3 |
| Scotland | 568 | 5,463,300 | 41.2 | 514 | 5,463,300 | 37.8 |

- Quarterly population rates are based on an annualised population
- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates
- Figures include any updates received following the last publication

Funnel plot of ECB incidence rates (per 100,000 population) in community associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates

Enhanced *Staphylococcus aureus* Bacteraemia (SAB) Surveillance

Staphylococcus aureus (*S. aureus*) is a Gram-positive bacterium which colonises the nasal cavity of about a quarter of the healthy population. This colonisation is usually harmless. However, infection can occur if *S. aureus* breaches the body's defence systems leading to illnesses from minor skin infections to serious systemic infections such as bacteraemia³.

In Scotland mandatory enhanced surveillance for *Staphylococcus aureus* bacteraemias (SABs) commenced in 2014.

As with *Clostridioides* (formerly *Clostridium*) *difficile*, enhanced SAB surveillance is carried out in all Health Boards using standardised data definitions. Each new case continues to be discussed at a weekly multidisciplinary team meeting involving Infection Prevention and Control Doctors, Infection Prevention and Control Nurses, Surveillance Nurses and an Infection Unit Nurse. The offer of attendance at speciality case review meetings from the Infection Prevention and Control Team is extended should further discussion be required.

Cases are defined as:

- Healthcare Associated
- Community Associated

More information on the national surveillance programme for *Staphylococcus aureus* bacteraemias can be found at:

<https://www.hps.scot.nhs.uk/web-resources-container/protocol-for-enhanced-staphylococcus-aureus-bacteraemia-surveillance/>

SAB cases and incidence rates (per 100,000 total occupied bed days) for healthcare associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Bed Days | Q4 Rate | Q1 Cases | Q1 Bed Days | Q1 Rate |
|------------------|-----------------|--------------------|----------------|-----------------|--------------------|----------------|
| AA | 16 | 111,501 | 14.3 | 19 | 107,446 | 17.7 |
| BR | 2 | 29,415 | 6.8 | 3 | 28,855 | 10.4 |
| DG | 2 | 46,458 | 4.3 | 8 | 44,334 | 18.0 |
| FF | 10 | 91,708 | 10.9 | 11 | 87,695 | 12.5 |
| FV | 8 | 79,712 | 10.0 | 8 | 76,312 | 10.5 |
| GR | 20 | 133,259 | 15.0 | 16 | 131,518 | 12.2 |
| GGC | 69 | 429,650 | 16.1 | 75 | 413,057 | 18.2 |
| HG | 10 | 73,909 | 13.5 | 6 | 71,286 | 8.4 |
| LN | 30 | 147,326 | 20.4 | 29 | 140,747 | 20.6 |
| LO | 32 | 249,135 | 12.8 | 43 | 240,426 | 17.9 |
| NWTC | 1 | 11,659 | 8.6 | 1 | 10,915 | 9.2 |
| OR | 1 | 2,915 | 34.3 | 2 | 3,184 | 62.8 |
| SH | 1 | 2,673 | 37.4 | 0 | 2,514 | 0.0 |
| TY | 30 | 117,973 | 25.4 | 19 | 111,519 | 17.0 |
| WI | 1 | 6,884 | 14.5 | 1 | 6,346 | 15.8 |
| Scotland | 233 | 1,534,177 | 15.2 | 241 | 1,476,154 | 16.3 |

- Note: Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- Figures include any updates received following the last publication

Funnel plot of SAB incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)
- NHS Ayrshire & Arran and NHS Tayside overlap

SAB cases and incidence rates (per 100,000 population) for community associated infection cases


Q4 (October to December 2019) compared to Q1 (January to March 2020)

| NHS Board | Q4 Cases | Q4 Population | Q4 Rate | Q1 Cases | Q1 Population | Q1 Rate |
|-----------------|------------|------------------|------------|------------|------------------|-------------|
| AA | 9 | 369,360 | 9.7 | 15 | 369,360 | 16.3 |
| BR | 2 | 115,510 | 6.9 | 3 | 115,510 | 10.4 |
| DG | 2 | 148,860 | 5.3 | 8 | 148,860 | 21.6 |
| FF | 8 | 373,550 | 8.5 | 6 | 373,550 | 6.5 |
| FV | 14 | 306,640 | 18.1 | 6 | 306,640 | 7.9 |
| GR | 13 | 585,700 | 8.8 | 16 | 585,700 | 11.0 |
| GGC | 22 | 1,183,120 | 7.4 | 23 | 1,183,120 | 7.8 |
| HG | 10 | 321,700 | 12.3 | 8 | 321,700 | 10.0 |
| LN | 16 | 661,900 | 9.6 | 19 | 661,900 | 11.5 |
| LO | 21 | 907,580 | 9.2 | 27 | 907,580 | 12.0 |
| OR | 0 | 22,270 | 0.0 | 3 | 22,270 | 54.2 |
| SH | 1 | 22,920 | 17.3 | 2 | 22,920 | 35.1 |
| TY | 14 | 417,470 | 13.3 | 13 | 417,470 | 12.5 |
| WI | 0 | 26,720 | 0.0 | 0 | 26,720 | 0.0 |
| Scotland | 132 | 5,463,300 | 9.6 | 149 | 5,463,300 | 11.0 |

- Quarterly population rates are based on an annualised population
- An arrow denotes statistically significant change
- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates
- Figures include any updates received following the last publication

Funnel plot of SAB incidence rates (per 100,000 population) in community associated infection cases for all NHS Boards in Scotland

Q1 (January to March 2020)



- Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & NRS mid-year population estimates

| Healthcare Associated SABs January to March 2020 | |
|---|-----------|
| Source | Number |
| Skin & soft tissue (skin break, ulcer, eczema) | 8 |
| Devices (PICC/Midline, CVC tunnelled, urinary catheter) | 3 |
| Not known | 3 |
| Injection site related to illicit drug use | 1 |
| Respiratory Infection | 1 |
| Total Healthcare Associated SABs | 16 |

| Community Associated SABs January to March 2020 | |
|--|-----------|
| Source | Number |
| Not known | 10 |
| Skin & soft tissue (skin break) | 4 |
| Injection site related to illicit drug use | 2 |
| Total Community Associated SABs | 16 |

Surgical Site Infection (SSI) Surveillance *

A Surgical Site Infection (SSI) is an infection that occurs after surgery in the part of the body where the surgery took place. SSI may be superficial infections involving the skin only while other SSI is more serious and can involve tissues under the skin, organs or implanted material. SSI is one of the most common types of HAI in Scotland⁴.

In Scotland the mandatory Surgical Site Infection (SSI) surveillance programme commenced in 2002. All NHS boards are required to undertake surveillance for hip arthroplasty (includes hemiarthroplasty) and caesarean section procedures as per the mandatory requirements of HDL (2006) 38 and CEL (11) 2009.

Post-operative surveillance is carried out as follows:

- Caesarean section surveillance is carried out during admission, post discharge up to 10 days and readmission up to 30 days
- Hip arthroplasty (includes hemiarthroplasty) surveillance is carried out during admission, readmission up to 30 days and readmission up to 90 days if there is an implant

Information on the national surveillance programme for Surgical Site Infection can be found at:

<https://www.hps.scot.nhs.uk/web-resources-container/surgical-site-infection-surveillance-protocol-and-resource-pack-edition-71/>

* SSI data for January – March 2020 is not available due to surveillance being paused, by the Scottish Government, to support the COVID-19 response

Meticillin-Resistant *Staphylococcus Aureus* (MRSA) Screening

The majority of individuals affected by Meticillin-Resistant *Staphylococcus Aureus* (MRSA) are colonised. This is when an organism lives harmlessly on the body with no ill effects. Infection is when the organism gains entry or penetrates tissue or sterile sites and causes disease process. MRSA is a form of *Staphylococcus aureus* (*S. aureus*). It is transmitted in the same way and causes the same range of infection but is resistant to commonly used antibiotics. This makes MRSA infections more difficult and costly to treat, hence every effort must be made to prevent spread⁵.

In early 2011, the Scottish Government announced new national minimum MRSA screening recommendations. Targeted MRSA screening by specialty (implemented in January 2010) has now been replaced by a Clinical Risk Assessment (CRA) followed by a nose and perineal swab (if the patient answers yes to any of the CRA questions). National Key Performance Indicators (KPIs) have now been implemented with Boards being required to achieve 90% compliance with CRA completion.

MRSA CRA screening compliance for Quarter 1* (April – June 2020) within NHS Grampian was 82%.

**Please note that Quarter 1 for MRSA CRA screening is April – June 2020*

| | 2019-20 Q1 | 2019-20 Q2 | 2019-20 Q3 | 2019-20 Q4 | 2020-21 Q1 |
|----------|------------|------------|------------|------------|------------|
| Grampian | 89% | 86% | 81% | 85% | 82% |
| Scotland | 89% | 88% | 88% | 87% | 84% |

More information on the national surveillance programme for MRSA screening can be found at:

<https://www.hps.scot.nhs.uk/web-resources-container/protocol-for-cra-mrsa-screening-national-rollout-in-scotland/>

Carbapenemase Producing Enterobacteriaceae (CPE) Screening

Infections caused by CPE are associated with high rates of morbidity and mortality and can have severe clinical consequences. Treatment of these infections is increasingly difficult as these organisms are often resistant to many and sometimes all available antibiotics. The number of CPE cases in Scotland remains low however we have seen a 50% increase in cases between 2016 (73) and 2017 (108) across Scotland.

Screening and data collection for CPE commenced 1st April 2018 at the request of the Scottish Government. All NHS Boards are required to undertake screening compliance as per the mandatory requirements of DL (2017) 2.

CPE Clinical Risk Assessment (CRA) screening compliance for Quarter 1* (April – June 2020) within NHS Grampian was 78%.

**Please note that Quarter 1 for CPE CRA screening is April – June 2020*

| | 2019-20 Q1 | 2019-20 Q2 | 2019-20 Q3 | 2019-20 Q4 | 2020-21 Q1 |
|----------|------------|------------|------------|------------|------------|
| Grampian | 98% | 96% | 88% | 93% | 78% |
| Scotland | 86% | 86% | 85% | 85% | 80% |

More information on CPE screening can be found at:

<https://www.hps.scot.nhs.uk/resourcedocument.aspx?id=6990>

Enteric Incidents and Outbreaks

The following table provides information for complete and partial ward closures in NHS Grampian due to enteric outbreaks (including confirmed or suspected Norovirus).

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|---------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ward Closures | 0 | 1 | 1 | 2 | 4 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| Bay Closures | 0 | 1 | 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Monday Point Prevalence Surveillance figures are reported to Health Protection Scotland. These capture the significant outbreaks of Norovirus in NHS Grampian and the prevalence of Norovirus activity in close to real time. They are not and should not be interpreted as data for benchmarking or comparison. The data can be used for the assessment of risk and Norovirus outbreak preparedness only.

Data on the numbers of wards closed across NHS Scotland due to confirmed or suspected Norovirus are available from HPS at:

<https://www.hps.scot.nhs.uk/a-to-z-of-topics/norovirus/#data>

(Do not use Internet Explorer to open this hyperlink; use Google Chrome instead)

Incident Management Team (IMT) and Preliminary* Assessment Group (PAG) Meetings

In NHS Grampian the Infection Prevention and Control Team are continually alert for an actual or potential healthcare incident, infection and outbreak or data exceedance. We apply Chapter 3 of the National Infection Prevention and Control Manual⁶. The Healthcare Infection Incident Assessment Tool (HIIAT)⁷ guides assessment, communication and escalation of risk within the Health Board, Health Protection Scotland and Scottish Government. Multi-disciplinary meetings to address the infection risk are called Preliminary* Assessment Groups (PAGs) and Incident Management Team meetings (IMTs).

A PAG may be convened to assess and determine if an IMT is required or whether there has been a greater than expected data exceedance such as non-compliant hand hygiene audits.

An IMT is defined as a multi-disciplinary, multi-agency group with responsibility for investigating and managing an incident⁸.

PAGs and IMTs can be supported by NHS Grampian's Health Protection Team and Health Protection Scotland.

In NHS Grampian, between April and June 2020, there were a total of 34 IMT meetings and 1 PAG meetings. These meetings establish and monitor risk control measures for patient and staff safety.

**Preliminary Assessment Group (PAG) meetings were previously referred to as Problem Assessment Group (PAG) meetings. In November 2019, following feedback from clinical staff, the NHS Grampian Infection Prevention & Control Team, on behalf of the NHS Grampian HAI Executive, changed the name from 'Problem' to 'Preliminary'. It is hoped that the change in name will make the PAG process less intimidating for clinical staff.*

| IMT meetings April - June 2020 | | | |
|-----------------------------------|--|----------|-------------------|
| Date | Area | Reason | HIIAT assessment* |
| 03.04.20 | Wards 15 & 16, Woodend Hospital | COVID-19 | N/A^ |
| 06.04.20 | | | N/A^ |
| 14.04.20 | Roxburghe House, Aberdeen | COVID-19 | N/A^ |
| 17.04.20 | | | N/A^ |
| 22.04.20 | | | N/A^ |
| 15.04.20 | Anchor Outpatient Department, Royal Aberdeen's Children's Hospital | COVID-19 | N/A^ |
| 20.04.20 | | | N/A^ |
| 22.04.20 | | | N/A^ |
| 18.04.20 | Woodend Hospital (Links Unit; Stroke Rehab Unit – East; Ortho Rehab Unit; Neuro Rehab Unit; Morningfield House; Ward 16; Ward 17) | COVID-19 | N/A^ |
| 21.04.20 | | | N/A^ |
| 28.04.20 | | | N/A^ |
| 01.05.20 | | | N/A^ |
| 05.05.20 | | | N/A^ |
| 12.05.20 | | | N/A^ |
| 19.05.20 | | | N/A^ |
| 27.04.20 | Ward 205, Aberdeen Royal Infirmary | COVID-19 | N/A^ |
| 30.04.20 | | | N/A^ |
| 29.04.20 | Ward 110, Aberdeen Royal Infirmary | COVID-19 | N/A^ |
| 01.05.20 | | | N/A^ |
| 07.05.20 | | | N/A^ |
| 14.05.20 | | | N/A^ |
| 29.05.20 | | | N/A^ |

| IMT meetings April - June 2020 | | | |
|-----------------------------------|---|-----------------|-------------------|
| Date | Area | Reason | HIIAT assessment* |
| 29.04.20 | Ward 5, Dr Gray's Hospital, Elgin | COVID-19 | N/A^ |
| 05.05.20 | Seafield Hospital, Buckie | COVID-19 | N/A^ |
| 13.05.20 | | | N/A^ |
| 06.05.20 | Ward 215, Aberdeen Royal Infirmary | COVID-19 | N/A^ |
| 08.05.20 | Ward 105, Aberdeen Royal Infirmary | COVID-19 | N/A^ |
| 18.05.20 | Foresterhill Community Nursing Team, Foresterhill Health Centre, Aberdeen | COVID-19 | N/A^ |
| 25.05.20 | | | N/A^ |
| 18.05.20 | Dermatology, Burnside House, Aberdeen | COVID-19 | N/A^ |
| 18.05.20 | Community Adult Assessment & Rehab Service (CAARS), City Hospital, Aberdeen | COVID-19 | N/A^ |
| 29.05.20 | Eye Outpatient Department, Aberdeen Royal Infirmary | COVID-19 | N/A^ |
| 22.06.20 | Eye Outpatient Department, Aberdeen Royal Infirmary | Endophthalmitis | Red |
| 30.06.20 | | | Red |

***HIIAT assessment (dynamic assessment accurate at the time of reporting)**

All Minor = **Green**

3 Minor and 1 Moderate = **Green**

No Major and 2-4 Moderate = **Amber**

Any Major = **Red**

[^] Between April and June 2020, Health Protection Scotland introduced a new Healthcare Incident Reporting Template (HIRT) for reporting COVID-19 clusters / outbreaks within in-patient areas

| PAG meetings April - June 2020 | | | |
|-----------------------------------|--|---------------------------------------|-------------------|
| Date | Area | Reason | HIIAT assessment* |
| 25.06.20 | Intensive Care Unit, Aberdeen Royal Infirmary | SAB Upper Control Limit Reached | Green |

***HIIAT assessment (dynamic assessment accurate at the time of reporting)**

All Minor = **Green**

3 Minor and 1 Moderate = **Green**

No Major and 2-4 Moderate = **Amber**

Any Major = **Red**

Cleaning and the Healthcare Environment

Between April and June 2020, NHS Grampian, as a whole, were compliant with the required cleanliness standards, as monitored by the Facilities Monitoring Tool.

Information on how hospitals carry out the cleaning and estates audits can be found at:

<http://www.hfs.scot.nhs.uk/publications-/guidance-publications/?keywords=monitoring+framework§ion=&category=&month=&year=&show=10>

| | April 2020 Domestic | April 2020 Estates | May 2020 Domestic | May 2020 Estates | June 2020 Domestic | June 2020 Estates | Quarter 1 Domestic | Quarter 1 Estates |
|--|---------------------|--------------------|-------------------|------------------|--------------------|-------------------|--------------------|-------------------|
| NHS Grampian Overall | 94.90 | 96.50 | 94.50 | 95.15 | 92.65 | 93.90 | 94 | 95.18 |
| Aberdeen Maternity Hospital, RACH & Outlying Areas | 0.00* | 0.00* | 93.30 | 93.45 | 91.40 | 92.30 | 92.35 | 92.87 |
| Aberdeen Royal Infirmary | 0.00* | 0.00* | 92.55 | 94.15 | 93.05 | 94.75 | 92.8 | 94.45 |
| Aberdeenshire North & Moray Community | 0.00* | 0.00* | 97.00 | 98.30 | 95.00 | 91.45 | 96 | 94.87 |
| Aberdeenshire South & Aberdeen City | 0.00* | 0.00* | 97.40 | 98.10 | 88.90 | 90.90 | 93.15 | 94.50 |
| Dr Gray's Hospital | 93.55 | 93.75 | 93.60 | 96.20 | 95.00 | 94.65 | 94.05 | 94.86 |
| Royal Cornhill Hospital | 0.00* | 0.00* | 0.00* | 0.00* | 89.20 | 95.10 | 89.2 | 95.10 |
| Woodend Hospital | 95.50 | 96.95 | 94.75 | 96.00 | 94.35 | 97.45 | 94.8 | 96.80 |

* Score of zero is due to auditing being paused to support the COVID-19 response

Healthcare Associated Infection Reporting Template (HAIRT)

Section 2 – Healthcare Associated Infection Report Cards

The following section is a series of ‘Report Cards’ that provide information, for each acute hospital and key community hospitals in the Board, on the number of cases of *Staphylococcus aureus* blood stream infections (also broken down into MSSA and MRSA) and *Clostridioides* (formerly *Clostridium*) *difficile* infections, as well as cleaning compliance and hand hygiene. In addition, there is a single report card which covers all community hospitals [which do not have individual cards], and a report which covers infections identified as having been contracted from outwith hospital. The information in the report cards is provisional local data, and may differ from the national surveillance reports carried out by Health Protection Scotland and Health Facilities Scotland. The national reports are official statistics which undergo rigorous validation, which means final national figures may differ from those reported here. However, these reports aim to provide more detailed and up to date information on HAI activities at local level than is possible to provide through the national statistics.

Understanding the Report Cards – Infection Case Numbers

Clostridioides (formerly *Clostridium*) *difficile* infections (CDI) and *Staphylococcus aureus* bacteraemia (SAB) cases are presented for each hospital, broken down by month. *Staphylococcus aureus* bacteraemia (SAB) cases are further broken down into Meticillin Sensitive *Staphylococcus aureus* (MSSA) and Meticillin Resistant *Staphylococcus aureus* (MRSA).

For each hospital the total number of cases for each month are those which have been reported as positive from a laboratory report on samples taken more than 48 hours after admission. For the purposes of these reports, positive samples taken from patients within 48 hours of admission will be considered to be confirmation that the infection was contracted prior to hospital admission and will be shown in the “out of hospital” report card.

Targets

The national targets associated with reductions in CDIs and SABs are currently under review. More information on these can be found on the Scotland Performs website:

<http://www.gov.scot/About/Performance/scotPerforms/NHSScotlandperformance>

Understanding the Report Cards – Cleaning Compliance

Hospitals strive to keep the care environment as clean as possible. This is monitored through cleaning and estates compliance audits. More information on how hospitals carry out these audits can be found on the Health Facilities Scotland website:

<http://www.hfs.scot.nhs.uk/publications-/guidance-publications/?keywords=monitoring+framework§ion=&category=&month=&year=&show=10>

Understanding the Report Cards – Hand Hygiene Compliance

Hospitals carry out regular audits of how well their staff are complying with hand hygiene. Each hospital report card presents the combined percentage of hand hygiene compliance with both opportunity taken and technique used broken down by staff group.

Understanding the Report Cards – ‘*Out of Hospital Infections*’

Clostridioides (formerly *Clostridium*) *difficile* infections and *Staphylococcus aureus* (including MRSA) bacteraemia cases are all associated with being treated in hospitals. However, this is not the only place a patient may contract an infection. This total will also include infection from community sources such as GP surgeries and care homes. The final Report Card report in this section covers ‘*Out of Hospital Infections*’ and reports on SAB and CDI cases reported to a Health Board which are not attributable to a hospital.

NHS BOARD REPORT CARD – NHS Grampian

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 |
| MSSA | 10 | 7 | 9 | 12 | 10 | 11 | 11 | 14 | 6 | 6 | 10 | 12 |
| Total SABS | 10 | 7 | 9 | 12 | 10 | 11 | 11 | 15 | 6 | 6 | 12 | 13 |

Clostridioides (formerly Clostridium) difficile infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 5 | 4 | 7 | 11 | 5 | 9 | 10 | 8 | 9 | 9 | 9 | 5 |

Cleaning Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|--------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Board Total | 92 | 93 | 93 | 94 | 93 | 93 | 93 | 93 | 93 | 95 | 95 | 93 |

Estates Monitoring Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|--------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Board Total | 94 | 94 | 94 | 95 | 94 | 95 | 95 | 95 | 94 | 97 | 95 | 94 |

Hand Hygiene Monitoring Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| AHP | 99 | 99 | 99 | 98 | 98 | 99 | 98 | 99 | 99 | 98 | 99 | 100 |
| Ancillary | 92 | 96 | 97 | 95 | 97 | 95 | 92 | 93 | 97 | 100 | 97 | 97 |
| Medical | 96 | 96 | 96 | 95 | 97 | 96 | 95 | 95 | 97 | 97 | 98 | 95 |
| Nurse | 98 | 98 | 98 | 98 | 98 | 99 | 98 | 99 | 99 | 99 | 99 | 99 |

NHS HOSPITAL A REPORT CARD – Aberdeen Royal Infirmary

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| MSSA | 4 | 3 | 4 | 2 | 3 | 5 | 1 | 1 | 0 | 0 | 3 | 7 |
| Total SABS | 4 | 3 | 4 | 2 | 3 | 5 | 1 | 1 | 0 | 0 | 4 | 7 |

Clostridioides (formerly Clostridium) difficile infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 2 | 0 | 2 | 4 | 2 | 3 | 2 | 1 | 3 | 3 | 1 | 0 |

Cleaning Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ARI Total | 91 | 91 | 90 | 92 | 91 | 93 | 92 | 92 | 92 | N/A * | 93 | 93 |

Estates Monitoring Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ARI Total | 94 | 95 | 94 | 95 | 94 | 95 | 95 | 95 | 94 | N/A * | 94 | 95 |

* Auditing paused to support the COVID-19 response

NHS HOSPITAL B REPORT CARD – Dr Gray’s Hospital

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MSSA | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total SABS | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Clostridioides (formerly Clostridium) difficile infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 |

Cleaning Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| DGH Total | 93 | 94 | 95 | 94 | 94 | 94 | 94 | 93 | 94 | 94 | 94 | 95 |

Estates Monitoring Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| DGH Total | 93 | 94 | 92 | 94 | 95 | 95 | 95 | 95 | 95 | 94 | 96 | 95 |

NHS HOSPITAL C REPORT CARD – Woodend Hospital

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MSSA | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 |
| Total SABS | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 |

Clostridioides (formerly Clostridium) difficile infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

Cleaning Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| WGH Total | 95 | 94 | 94 | 94 | 94 | 92 | 93 | 94 | 94 | 96 | 95 | 94 |

Estates Monitoring Compliance (%)

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| WGH Total | 96 | 95 | 97 | 96 | 96 | 95 | 95 | 96 | 96 | 97 | 96 | 97 |

OTHER NHS HOSPITALS REPORT CARD

The other hospitals covered in this report card include:

Aberdeen Maternity Hospital
 Royal Cornhill Hospital
 Royal Aberdeen Children's Hospital
 Roxburgh House
 All Community Hospitals

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MSSA | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Total SABS | 1 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

Clostridioides (formerly *Clostridium*) *difficile* infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 |

NHS OUT OF HOSPITAL REPORT CARD

Staphylococcus aureus bacteraemia - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| MRSA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| MSSA | 5 | 2 | 5 | 8 | 7 | 6 | 8 | 12 | 6 | 6 | 6 | 5 |
| Total SABS | 5 | 2 | 5 | 8 | 7 | 6 | 8 | 13 | 6 | 6 | 7 | 6 |

Clostridioides (formerly *Clostridium*) *difficile* infections - monthly case numbers

| | Jul 2019 | Aug 2019 | Sep 2019 | Oct 2019 | Nov 2019 | Dec 2019 | Jan 2020 | Feb 2020 | Mar 2020 | Apr 2020 | May 2020 | Jun 2020 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Total CDIs (Ages 15+) | 3 | 4 | 4 | 6 | 3 | 4 | 7 | 6 | 5 | 5 | 7 | 5 |

References

- 1 – 4: Health Protection Scotland (2019) *Quarterly epidemiological data on Clostridioides Difficile infection, Escherichia coli bacteraemia, Staphylococcus aureus bacteraemia and Surgical Site Infection in Scotland*. Available at: https://hpspubsrepo.blob.core.windows.net/hps-website/nss/2744/documents/2_2019-04-02%20SAB-CDI-EColi-SSI-Infections-Q4-2018-Report%20v1.2.pdf
- 5: NHS Grampian Staff Protocol for the Screening and Management of Patients with Meticillin-Resistant Staphylococcus aureus (MRSA) within NHS Healthcare Settings (Excluding Care Homes). Available at: <http://nhsgintranet.grampian.scot.nhs.uk/depts/InfectionPreventionAndControlManual/Documents/NHSG%20Staff%20Protocol%20for%20the%20Treatment%20of%20Patients%20with%20MRSA%20in%20Healthcare%20Settings%20March%202017.pdf>
- 6: Health Protection Scotland (2019) National Infection prevention and Control Manual – Chapter 3. Available at: <http://www.nipcm.hps.scot.nhs.uk/chapter-3-healthcare-infection-incidents-outbreaks-and-data-exceedance/>
- 7: Health Protection Scotland (2019) Healthcare Infection Incident Assessment Tool. Available at: <http://www.nipcm.hps.scot.nhs.uk/appendices/appendix-14-mandatory-nipcm-healthcare-infection-incident-assessment-tool-hiat/>
- 8: Management of Public Health Incidents: Guidance on the Role and Responsibilities of NHS Led Incident Management Teams. Available at: https://hpspubsrepo.blob.core.windows.net/hps-website/nss/1673/documents/1_shpn-12-mphi-21062017.pdf