

This document summarises the decisions of the NHS Grampian Formulary Group for Scottish Medicines Consortium (SMC) advice published April 2023 to March 2024.

For the latest Formulary Group decisions see the <u>Grampian Area Formulary website</u>.

April 2024

Image courtesy of Baitong333 - image ID: 100128772/ FreeDigitalPhotos.net

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
Acarizax 12 SQ-HDM oral lyophilisates (Dermatophagoides pteronyssinus and Dermatophagoides farinae)	s <u>2613</u>	1) Adults (18-65 years) diagnosed by clinical history and a positive test of house dust mite sensitisation (skin prick test and/or specific IgE) with at least one of the following conditions: - persistent moderate to severe house dust mite allergic rhinitis despite use of symptom-relieving medication - house dust mite allergic asthma not well controlled by inhaled corticosteroids and associated with mild to severe house dust mite allergic rhinitis. Patients' asthma status should be carefully evaluated before the initiation of treatment 2) Adolescents (12-17 years) diagnosed by clinical history and a positive test of house dust mite sensitisation (skin prick test and/or specific IgE) with persistent moderate to severe house dust mite allergic rhinitis despite use of symptom-relieving medication.	Not routinely available as not recommended for use in NHS Scotland, SMC 2613 https://www.scottishmedicines.org.uk/media/7752/dermato phagoides-acarizax-non-sub-final-july-2023-for-website.pdf	15/08/2023
aflibercept 40mg/mL solution for injection in pre-filled syringe (Eylea®)	<u>2612</u>	In preterm infants for the treatment of retinopathy of prematurity (ROP) with zone I (stage 1+, 2+, 3 or 3+), zone II (stage 2+ or 3+) or AP-ROP (aggressive posterior ROP) disease.	Not routinely available as not recommended for use in NHS Scotland, SMC 2612 https://www.scottishmedicines.org.uk/media/7755/afliberce pt-eylea-non-sub-final-july-2023-for-website.pdf	15/08/2023
amivantamab 50mg/mL concentrate for solution for infusion (Rybrevant®)	<u>2638</u>	As monotherapy for treatment of adult patients with locally advanced or metastatic non-small cell lung cancer (NSCLC) with activating epidermal growth factor receptor (EGFR) Exon 20 insertion mutations, whose disease has progressed on or after platinum-based chemotherapy.	Not routinely available as not recommended for use in NHS Scotland, SMC 2638 https://www.scottishmedicines.org.uk/media/7987/amivant amab-rybrevant-non-sub-final-nov-2023-for-website.pdf	19/12/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
apalutamide 60mg film-coated tablets (Erleada®)	<u>2579</u>	In adults for the treatment of non-metastatic castration-resistant prostate cancer (nmCRPC) who are at high risk of developing metastatic disease.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	15/08/2023
atogepant 10mg, 60mg tablets (Aquipta®)	<u>2599</u>	For the prophylaxis of migraine in adults who have at least 4 migraine days per month. SMC restriction: for patients with chronic and episodic migraine who have had prior failure on three or more migraine preventive treatments.	Routinely available in line with local guidance Updates decision 17/10/23	21/11/2023
avacopan 10mg hard capsules (Tavneos®)	<u>2578</u>	In combination with a rituximab or cyclophosphamide regimen, for the treatment of adult patients with severe, active granulomatosis with polyangiitis (GPA) or microscopic polyangiitis (MPA).	Routinely available in line with national guidance, SMC 2578 https://www.scottishmedicines.org.uk/media/7938/avacopa n-tavneos-final-oct-2023-for-website.pdf Updates decision 21/11/23	16/04/2024
avalglucosidase alfa 100mg powder for concentrate for solution for infusion (Nexviadyme®)	<u>2546</u>	Long-term enzyme replacement therapy for the treatment of patients with Pompe disease (acid α -glucosidase deficiency).	Routinely available in line with national guidance, SMC 2546 https://www.scottishmedicines.org.uk/media/7700/avalgluc osidase-alfa-nexviadyme-abb-final-june-2023-for-website.pdf	15/08/2023
axicabtagene ciloleucel 0.4 – 2 x 10 ⁸ cells dispersion for infusion (Yescarta®)	<u>2628</u>	For the treatment of adult patients with diffuse large B-cell lymphoma (DLBCL) and high-grade B-cell lymphoma (HGBL) that relapses within 12 months from completion of, or is refractory to, first-line chemoimmunotherapy.	Not routinely available as not recommended for use in NHS Scotland, SMC 2628 https://www.scottishmedicines.org.uk/media/8169/axicabta gene-ciloleucel-yescarta-final-amended-060324-for- website.pdf	19/03/2024
axicabtagene ciloleucel 0.4 – 2 x 10 ⁸ cells dispersion for infusion (Yescarta®)	<u>2646</u>	Treatment of adult patients with relapsed or refractory follicular lymphoma (FL) after three or more lines of systemic therapy.	Not routinely available as not recommended for use in NHS Scotland, SMC 2646 https://www.scottishmedicines.org.uk/media/8028/axicabta gene-ciloleucel-non-sub-final-dec-2023-for-website.pdf	16/01/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
azacitidine 200mg, 300mg film- coated tablets (Onureg®)	<u>2533</u>	Maintenance therapy in adults with acute myeloid leukaemia who achieved complete remission or complete remission with incomplete blood count recovery following induction therapy with or without consolidation treatment and who are not candidates for, including those who choose not to proceed to, haematopoietic stem cell transplantation.	Routinely available in line with national guidance, SMC 2533 https://www.scottishmedicines.org.uk/media/7701/azacitidine-onureg-final-june-2023-updated-270623-for-website.pdf	15/08/2023
baricitinib 2mg, 4mg film-coated tablets (Olumiant®)	<u>2572</u>	For the treatment of severe alopecia areata in adult patients.	Not routinely available as not recommended for use in NHS Scotland, SMC 2572 https://www.scottishmedicines.org.uk/media/7756/baricitini b-olumiant-final-july-2023-for-website.pdf	15/08/2023
belantamab mafodotin 100mg powder for concentrate for solution for infusion (Blenrep®)	<u>2597</u>	As monotherapy for the treatment of multiple myeloma in adult patients, who have received at least four prior therapies and whose disease is refractory to at least one proteasome inhibitor, one immunomodulatory agent, and an anti-CD38 monoclonal antibody, and who have demonstrated disease progression on the last therapy.	Not routinely available as not recommended for use in NHS Scotland, SMC 2597 https://www.scottishmedicines.org.uk/media/8029/belanta mab-blenrep-final-dec-2023-for-website.pdf	16/01/2024
belzutifan 40mg film-coated tablets (Welireg®)	<u>2587</u>	Treatment of adult patients with von Hippel- Lindau (VHL) disease who require therapy for VHL associated renal cell carcinoma (RCC), central nervous system (CNS) hemangioblastomas, or pancreatic neuroendocrine tumours (pNET), and for whom localised procedures are unsuitable or undesirable.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	17/10/2023

NHS Grampian Formulary Group Decisions for SMC advice published April 2023 to March 2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
bimekizumab 160mg solution for injection in pre-filled syringe, pre-filled pen (Bimzelx®)	<u>2605</u>	Alone or in combination with methotrexate, for the treatment of active psoriatic arthritis in adults who have had an inadequate response or who have been intolerant to one or more disease-modifying antirheumatic drugs (DMARDs). SMC restriction: Use in patients with active psoriatic arthritis who have not responded adequately to two conventional DMARDs, given either alone or in combination.	Routinely available in line with national guidance, SMC 2605 https://www.scottishmedicines.org.uk/media/7939/bimekiz umab-bimzelx-abb-final-oct-2023-for-website.pdf Updates decision 21/11/23	20/02/2024
bimekizumab 160mg solution for injection in pre-filled syringe, pre-filled pen (Bimzelx®)	<u>2616</u>	Axial spondyloarthritis: - for the treatment of adults with active non- radiographic axial spondyloarthritis with objective signs of inflammation as indicated by elevated C- reactive protein (CRP) and/or magnetic resonance imaging (MRI) who have responded inadequately or are intolerant to non-steroidal anti- inflammatory drugs (NSAIDs) - for the treatment of adults with active ankylosing spondylitis who have responded inadequately or are intolerant to conventional therapy	Routinely available in line with national guidance, SMC 2616 https://www.scottishmedicines.org.uk/media/7988/bimekiz umab-bimzelx-abb-final-nov-2023-for-website.pdf Updates decision 19/12/23	20/02/2024
brexucabtagene autoleucel $0.4 - 2 \times 10^8$ cells dispersion for infusion (Tecartus®)	<u>2548</u>	Treatment of adults 26 years of age and above with relapsed or refractory B-cell precursor acute lymphoblastic leukaemia (ALL).	Routinely available from a specialist centre in another health board	17/10/2023
cabozantinib 20mg, 40mg, 60mg film- coated tablets (Cabometyx®)	<u>2590</u>	As monotherapy for the treatment of adult patients with locally advanced or metastatic differentiated thyroid carcinoma (DTC), refractory or not eligible to radioactive iodine (RAI) who have progressed during or after prior systemic therapy.	Not routinely available as not recommended for use in NHS Scotland, SMC 2590 https://www.scottishmedicines.org.uk/media/8107/cabozan tinib-cabometyx-final-jan-2024-for-website.pdf	20/02/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
cemiplimab 350mg concentrate for solution for infusion (Libtayo®)	<u>2584</u>	As monotherapy for the treatment of adults with metastatic or locally advanced cutaneous squamous cell carcinoma (CSCC) who are not candidates for curative surgery or curative radiation.	Routinely available in line with national guidance, SMC 2584 https://www.scottishmedicines.org.uk/media/7989/cemipli mab-libtayo-final-nov-2023-for-website.pdf	19/12/2023
cipaglucosidase alfa 105mg powder for concentrate for solution for infusion (Pombiliti®)	<u>2606</u>	As a long-term enzyme replacement therapy used in combination with the enzyme stabiliser miglustat for the treatment of adults with lateonset Pompe disease (acid α -glucosidase [GAA] deficiency).	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/12/2023
crizotinib 200mg, 250mg hard capsules (Xalkori®)	<u>2621</u>	As monotherapy for the treatment of paediatric patients (age ≥6 to <18 years) with: - relapsed or refractory systemic anaplastic lymphoma kinase (ALK) positive anaplastic large cell lymphoma (ALCL) - recurrent or refractory anaplastic lymphoma kinase (ALK) positive unresectable inflammatory myofibroblastic tumour (IMT)	Not routinely available as not recommended for use in NHS Scotland, SMC 2621 https://www.scottishmedicines.org.uk/media/7816/crizotini b-xalkori-non-sub-final-august-2023-for-website.pdf	19/09/2023
dapagliflozin 5mg, 10mg film-coated tablets (Forxiga®)	<u>2577</u>	In adults for the treatment of symptomatic chronic heart failure with left ventricular ejection fraction (LVEF) >40%.	Routinely available in line with national guidance, SMC 2577 https://www.scottishmedicines.org.uk/media/7757/dapaglifl ozin-forxiga-abb-final-july-2023-for-website.pdf	15/08/2023
daratumumab 20mg/mL concentrate for solution for infusion, 1,800mg solution for injection (Darzalex®)	<u>2536</u>	In combination with lenalidomide and dexamethasone for the treatment of adult patients with newly diagnosed multiple myeloma who are ineligible for autologous stem cell transplant (ASCT).	Routinely available in line with national guidance, SMC 2536 https://www.scottishmedicines.org.uk/media/7817/daratum umab-darzalex-final-august-2023-for-website.pdf	19/09/2023
darolutamide 300mg film-coated tablets (Nubeqa®)	<u>2604</u>	Treatment of adults with metastatic hormone- sensitive prostate cancer (mHSPC) in combination with docetaxel.	Routinely available in line with national guidance, SMC 2604 https://www.scottishmedicines.org.uk/media/7870/daroluta mide-nubeqa-resub-final-sept-2023-for-website.pdf Updates decision 17/10/23	19/12/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
degarelix 80mg, 120mg injection (Firmagon®)	<u>2625</u>	- for the treatment of high-risk localised and locally advanced hormone dependent prostate cancer in combination with radiotherapy - as neoadjuvant treatment prior to radiotherapy in patients with high-risk localised or locally advanced hormone dependent prostate cancer	Routinely available in line with national guidance, SMC 2625 https://www.scottishmedicines.org.uk/media/7991/degareli x-firmagon-abb-final-nov-2023-for-website.pdf Updates decision 19/12/23	20/02/2024
deucravacitinib 6mg film-coated tablets (Sotyktu®)	<u>2581</u>	For the treatment of moderate to severe plaque psoriasis in adults who are candidates for systemic therapy. SMC restriction: patients who have failed to respond to standard systemic therapies (including ciclosporin, methotrexate and phototherapy), are intolerant to, or have a contra-indication to these treatments.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/12/2023
difelikefalin 50micrograms/mL solution for injection (Kapruvia®)	<u>2623</u>	Treatment of moderate-to-severe pruritus associated with chronic kidney disease in adult patients on haemodialysis. SMC restriction: for use in patients with an inadequate response to best supportive care for reducing itch.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	20/02/2024
dupilumab 300mg solution for injection in pre-filled syringe, pre-filled pen (Dupixent®)	<u>2598</u>	For the treatment of adults with moderate-to- severe prurigo nodularis (PN) who are candidates for systemic therapy.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	20/02/2024
durvalumab 50mg/mL concentrate for solution for infusion (Imfinzi®)	<u>2582</u>	In combination with gemcitabine and cisplatin for the first-line treatment of adults with locally advanced, unresectable, or metastatic biliary tract cancer.	Routinely available in line with national guidance, SMC 2582 https://www.scottishmedicines.org.uk/media/7940/durvalu mab-imfinzi-final-oct-2023-for-website.pdf Updates decision 21/11/23	19/12/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
efgartigimod alfa 20mg/mL concentrate for solution for infusion (Vyvgart®)	<u>2561</u>	As an add-on to standard therapy for the treatment of adult patients with generalised Myasthenia Gravis (gMG) who are antiacetylcholine receptor (AChR) antibody positive.	Not routinely available as not recommended for use in NHS Scotland, SMC 2561 https://www.scottishmedicines.org.uk/media/7931/efgartigi mod-alfa-vyvgart-final-oct-2023-amended-251023-forwebsite.pdf	21/11/2023
empagliflozin 10mg film-coated table (Jardiance®)	t <u>2523</u>	In adults for the treatment of symptomatic chronic heart failure with preserved ejection fraction (left ventricular ejection fraction [LVEF] >40%).	Not routinely available as there is a local preference for alternative medicines Updates decision 16/05/23	15/08/2023
fenfluramine 2.2mg/mL oral solution (Fintepla®)	<u>2569</u>	For the treatment of seizures associated with Dravet syndrome as an add-on to other antiepileptic medicines for patients 2 years of age and older. SMC restriction: as add-on therapy for treating seizures associated with Dravet syndrome where seizures have not been controlled in people aged 2 years and older after trying two or more antiseizure medicines.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	17/10/2023
ibrutinib 140mg, 280mg, 420mg film-coated tablets (Imbruvica®)	<u>2543</u>	In combination with venetoclax for the treatment of adult patients with previously untreated chronic lymphocytic leukaemia (CLL).	Routinely available in line with national guidance, SMC 2543 https://www.scottishmedicines.org.uk/media/7878/ibrutinib- imbruvica-final-august-2023-for-website-amended-october- 2023.pdf Updates decision 19/09/23	21/11/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
icosapent ethyl 998mg soft capsules (Vazkepa®)	2602	To reduce the risk of cardiovascular events in adult statin-treated patients at high cardiovascular risk with elevated triglycerides (≥1.7mmol/L) and - established cardiovascular disease, or - diabetes, and at least one other cardiovascular risk factor. SMC restriction: use as secondary prevention in patients treated with a stable dose of statins, low-density lipoprotein (LDL) cholesterol levels >1.04mmol/L and ≤2.60mmol/L, raised fasting triglycerides (≥1.7mmol/L) and with established cardiovascular disease defined as a history of any of the following: - Acute coronary syndrome (ACS) (such as myocardial infarction (MI) or unstable angina needing hospitalisation) - Coronary or other arterial revascularisation procedures - Coronary heart disease - Ischaemic stroke - Peripheral arterial disease	Not routinely available as the ADTC is waiting for further advice from local clinical experts	15/08/2023
ivosidenib 250mg film-coated tablet (Tibsovo®)	<u>2615</u>	In combination with azacitidine for the treatment of adult patients with newly diagnosed acute myeloid leukaemia (AML) with an isocitrate dehydrogenase-1 (IDH1) R132 mutation who are not eligible to receive standard induction chemotherapy.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/03/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
loncastuximab tesirine 10mg powder for concentrate for solution for infusion (Zynlonta®)	<u>2609</u>	As monotherapy for the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) and high-grade B-cell lymphoma (HGBL), after two or more lines of systemic therapy. SMC restriction: where chimeric antigen receptor (CAR) T-cell therapy is unsuitable, not tolerated or ineffective.	Routinely available in line with national guidance, SMC 2609 https://www.scottishmedicines.org.uk/media/8110/loncastu ximab-tesirine-zynlonta-final-jan-2024-for-website.pdf Updates decision 20/02/24	16/04/2024
lumasiran 94.5mg/0.5 mL solution for injection (Oxlumo®)	<u> 2639</u>	Treatment of primary hyperoxaluria type 1 (PH1) in all age groups.	Not routinely available as not recommended for use in NHS Scotland, SMC 2639 https://www.scottishmedicines.org.uk/media/7993/lumasira n-oxlumo-non-sub-final-nov-2023-for-website.pdf	19/12/2023
lutetium (¹⁷⁷ Lu) vipivotide tetraxetan 1,000MBq/mL solution for injection or infusion (Pluvicto®)	<u>2517</u>	Treatment of adult patients with prostate specific membrane antigen (PSMA)-positive metastatic castration-resistant prostate cancer (mCRPC) who have been treated with androgen receptor (AR) pathway inhibition and taxane-based chemotherapy or who are not medically suitable for taxanes.	Not routinely available as not recommended for use in NHS Scotland, SMC 2517 https://www.scottishmedicines.org.uk/media/7871/lutetium- 177-lu-vipivotide-tetraxetan-pluvicto-final-updated-310823- for-website.pdf	17/10/2023
maribavir 200mg film-coated tablets (Livtencity®)	<u>2576</u>	Treatment of cytomegalovirus (CMV) infection and/or disease that are refractory (with or without resistance) to one or more prior therapies, including ganciclovir, valganciclovir, cidofovir or foscarnet in adult patients who have undergone a haematopoietic stem cell transplant (HSCT) or solid organ transplant (SOT). Consideration should be given to official guidance on the appropriate use of antiviral agents.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	17/10/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
mercaptamine 25mg, 75mg gastro- resistant hard capsules (Procysbi®)	<u>2571</u>	Treatment of proven nephropathic cystinosis. Cysteamine reduces cystine accumulation in some cells (e.g. leukocytes, muscle and liver cells) of nephropathic cystinosis patients and, when treatment is started early, it delays the development of renal failure.	Not routinely available as not recommended for use in NHS Scotland, SMC 2571 https://www.scottishmedicines.org.uk/media/7932/mercapt amine-procysbi-resub-final-oct-2023-amended-031123-for-website.pdf	21/11/2023
mosunetuzumab 1mg, 30mg concentrate for solution for infusion (Lunsumio®)	<u>2542</u>	As monotherapy for the treatment of adult patients with relapsed or refractory follicular lymphoma (FL) who have received at least two prior systemic therapies.	Not routinely available as not recommended for use in NHS Scotland, SMC 2542 https://www.scottishmedicines.org.uk/media/7819/mosunet uzumab-lunsumio-final-august-2023-for-website.pdf	19/09/2023
nirmatrelvir 150mg plus ritonavir 100mg film coated tablets (Paxlovid®)	<u>2557</u>	Treatment of COVID-19 in adults who do not require supplemental oxygen and who are at increased risk for progression to severe COVID-19. SMC restriction: patients with any of the following: - increased risk for progression to severe COVID-19, as defined in section 5 of NICE final guidance - age 70 years and over - a body mass index (BMI) of 35 kg/m² or more - diabetes - heart failure	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/03/2024
nivolumab 10mg/mL concentrate for solution for infusion (Opdivo®)	<u>2519</u>	In combination with fluoropyrimidine- and platinum-based combination chemotherapy for the first-line treatment of adult patients with unresectable advanced, recurrent or metastatic oesophageal squamous cell carcinoma (OSCC) with tumour cell programmed death ligand 1 (PD-L1) expression ≥1%.	Routinely available in line with national guidance, SMC 2519 https://www.scottishmedicines.org.uk/media/7612/nivolum ab-opdivo-final-may-2023-for-website.pdf Updates decision 20/06/23	17/10/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
nivolumab 10mg/mL concentrate for solution for infusion (Opdivo®)	<u>2619</u>	In combination with platinum-based chemotherapy for the neoadjuvant treatment of resectable (tumours ≥4 cm or node positive) nonsmall cell lung cancer in adults.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/12/2023
nivolumab 10mg/mL concentrate for solution for infusion (Opdivo®)	<u>2620</u>	In combination with ipilimumab for the first-line treatment of adult patients with unresectable advanced, recurrent or metastatic oesophageal squamous cell carcinoma with tumour cell programmed death ligand (PD-L1) expression ≥ 1%.	Not routinely available as not recommended for use in NHS Scotland, SMC 2620 https://www.scottishmedicines.org.uk/media/7820/nivolum ab-opdivo-non-sub-final-august-2023-for-website.pdf	19/09/2023
olaparib 100mg, 150mg film-coated tablets (Lynparza®)	<u>2518</u>	As monotherapy or in combination with endocrine therapy for the adjuvant treatment of adult patients with germline BRCA1/2-mutations who have human epidermal growth factor receptor 2 (HER2)-negative, high risk early breast cancer previously treated with neoadjuvant or adjuvant chemotherapy.	Routinely available in line with national guidance, SMC 2518 https://www.scottishmedicines.org.uk/media/7876/olapariblynparza-final-sept-2023-amended-210923-for-website.pdf Updates decision 17/10/23	16/04/2024
olaparib 100mg, 150mg film-coated tablets (Lynparza®)	<u>2617</u>	In combination with abiraterone and prednisone or prednisolone for the treatment of adult patients with metastatic castration resistant prostate cancer (mCRPC) in whom chemotherapy is not clinically indicated.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/03/2024
osilodrostat 1mg, 5mg, 10mg film- coated tablets (Isturisa®)	<u>2640</u>	Treatment of endogenous Cushing's syndrome in adults.	Not routinely available as not recommended for use in NHS Scotland, SMC 2640 https://www.scottishmedicines.org.uk/media/7995/osilodro stat-isturisa-non-sub-final-nov-2023-for-website.pdf	19/12/2023
patiromer sorbitex calcium 8.4g, 16.8g powder for oral suspension (Veltassa®)	<u>2568</u>	Treatment of hyperkalaemia in adults. SMC restriction: in the emergency care setting for the treatment of acute, life-threatening hyperkalaemia alongside standard care.	Not routinely available as there is a local preference for alternative medicines Updates decision 18/04/23	20/02/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
pegunigalsidase alfa 2mg/mL concentrate for solution for infusion (Elfabrio®)	<u>2591</u>	For long-term enzyme replacement therapy in adult patients with a confirmed diagnosis of Fabry Disease (deficiency of alpha-galactosidase).	Not routinely available as not recommended for use in NHS Scotland, SMC 2591 https://www.scottishmedicines.org.uk/media/7933/pegunig alsidase-alfa-elfabrio-final-oct-2023-amended-111023-261023-for-website.pdf	21/11/2023
pembrolizumab 25mg/mL concentrate for solution for infusion (Keytruda®)	<u>2526</u>	As monotherapy for the adjuvant treatment of adults and adolescents aged 12 years and older with Stage IIB or IIC melanoma and who have undergone complete resection.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	18/04/2023
pembrolizumab 25mg/mL concentrate for solution for infusion (Keytruda®)	<u>2538</u>	In combination with chemotherapy as neoadjuvant treatment, and then continued as monotherapy as adjuvant treatment after surgery, for the treatment of adults with locally advanced, or early stage triple-negative breast cancer (TNBC) at high risk of recurrence.	Routinely available in line with national guidance, SMC 2538 https://www.scottishmedicines.org.uk/media/7613/pembrol izumab-keytruda-final-may-2023-for-website.pdf Updates decision 20/06/23	15/08/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
pembrolizumab 25mg/mL concentrate for solution for infusion (Keytruda®)	<u>2589</u>	As monotherapy for adults with microsatellite instability high (MSI-H) or mismatch repair deficient (dMMR) colorectal cancer in the following settings: - treatment of unresectable or metastatic colorectal cancer after previous fluoropyrimidine-based combination therapy. As monotherapy for the treatment of the following MSI-H or dMMR tumours in adults with: - advanced or recurrent endometrial carcinoma, who have disease progression on or following prior treatment with a platinum-containing therapy in any setting and who are not candidates for curative surgery or radiation; - unresectable or metastatic gastric, small intestine, or biliary cancer, who have disease progression on or following at least one prior therapy. Restriction: pembrolizumab is stopped at 2 years of uninterrupted treatment, or earlier if the cancer progresses.	Routinely available in line with local guidance. Note: advanced or recurrent endometrial carcinoma is not routinely available as the ADTC is waiting for further advice from local clinical experts. Updates decision 16/01/24	19/03/2024
pitolisant 4.5mg, 18mg film-coated tablets (Wakix®)	<u>2662</u>	To improve wakefulness and reduce excessive daytime sleepiness (EDS) in adult patients with obstructive sleep apnoea (OSA) whose EDS has not been satisfactorily treated by, or who have not tolerated, OSA primary therapy, such as continuous positive airway pressure (CPAP).	Not routinely available as not recommended for use in NHS Scotland, SMC 2662 https://www.scottishmedicines.org.uk/media/8164/pitolisan t-wakix-non-sub-final-feb-2024-for-website.pdf	19/03/2024
polatuzumab vedotin 30mg, 140mg powder for concentrate for solution for infusion (Polivy®)	<u>2524</u>	In combination with bendamustine and rituximab for the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) who are not candidates for haematopoietic stem cell transplant (HSCT).	Routinely available in line with national guidance, SMC 2524 https://www.scottishmedicines.org.uk/media/7703/polatuzu mab-vedotin-polivy-reasessment-final-june-2023-for- website.pdf	15/08/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
polatuzumab vedotin 30mg, 140mg powder for concentrate for solution for infusion (Polivy®)	2525	In combination with rituximab, cyclophosphamide, doxorubicin, and prednisone (R-CHP) for the treatment of adult patients with previously untreated diffuse large B-cell lymphoma (DLBCL). SMC restriction: patients with an International Prognostic Index (IPI) score of 2 to 5.	Routinely available in line with national guidance, SMC 2525 https://www.scottishmedicines.org.uk/media/7614/polatuzu mab-vedotin-polivy-final-may-2023-for-website.pdf Updates decision 20/06/23	15/08/2023
Produodopa® 240mg/mL / 12mg/mL solution for infusion (foslevodopa/foscarbidopa)	<u>2574</u>	Treatment of advanced levodopa-responsive Parkinson's disease with severe motor fluctuations and hyperkinesia or dyskinesia when available combinations of Parkinson medicinal products have not given satisfactory results. SMC restriction: for use in patients not eligible for deep brain stimulation (DBS).	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/03/2024
progesterone 200mg vaginal capsules (Utrogestan®)	s <u>2630</u>	Prevention of preterm birth in women with a singleton pregnancy who have a short cervix (midtrimester sonographic cervix ≤25 mm) and/or a history of spontaneous preterm birth.	Not routinely available as not recommended for use in NHS Scotland, SMC 2630 https://www.scottishmedicines.org.uk/media/7934/progeste rone-vaginal-capsules-utrogestan-non-sub-final-oct-2023-forwebsite.pdf	21/11/2023
ravulizumab 300mg/3mL, 1100mg/11mL concentrate for solution for infusion (Ultomiris®)	<u>2657</u>	As an add-on to standard therapy for the treatment of adult patients with generalized myasthenia gravis (gMG) who are antiacetylcholine receptor (AChR) antibody-positive.	Not routinely available as not recommended for use in NHS Scotland, SMC 2657 https://www.scottishmedicines.org.uk/media/8104/ravulizu mab-ultomiris-gmg-non-sub-final-jan-2024-for-website.pdf	20/02/2024
ravulizumab 300mg/3mL, 1100mg/11mL concentrate for solution for infusion (Ultomiris®)	<u>2658</u>	Treatment of adult patients with neuromyelitis optica spectrum disorder (NMOSD) who are antiaquaporin 4 (AQP4) antibody-positive.	Not routinely available as not recommended for use in NHS Scotland, SMC 2658 https://www.scottishmedicines.org.uk/media/8105/ravulizu mab-ultomiris-nmosd-non-sub-final-jan-2024-for-website.pdf	20/02/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
regorafenib 40mg film-coated tablets (Stivarga®)	<u>2562</u>	As monotherapy for the treatment of adult patients with metastatic colorectal cancer who have been previously treated with, or are not considered candidates for, available therapies. These include fluoropyrimidine-based chemotherapy, an anti-VEGF therapy and an anti-EGFR therapy.	Routinely available in line with national guidance, SMC 2562 https://www.scottishmedicines.org.uk/media/7882/regorafe nib-stivarga-final-sept-2023-amended-180923-for-website-amended-161023.pdf Updates decision 17/10/23	19/03/2024
rimegepant 75mg oral lyophilisate (Vydura®)	<u>2521</u>	For the acute treatment of migraine with or without aura in adults. SMC restriction: for patients who have had inadequate symptom relief after trials of at least two triptans or in whom triptans are contraindicated or not tolerated; and have inadequate pain relief with non-steroidal anti-inflammatory drugs (NSAIDs) and paracetamol.	Routinely available in line with local guidance, Updates decision 16/05/23	20/06/2023
rimegepant 75mg oral lyophilisate (Vydura®)	<u>2603</u>	For the preventive treatment of episodic migraine in adults who have at least four migraine attacks per month. SMC restriction: for patients with episodic migraine who have at least 4 migraine attacks per month, but fewer than 15 headache days per month and who have had prior failure on three or more migraine preventive treatments.	Routinely available in line with local guidance Updates decision 19/09/23	21/11/2023
risankizumab 600mg concentrate for solution for infusion, 360mg solution for injection (Skyrizi®)	<u>2534</u>	For the treatment of patients 16 years and older with moderately to severely active Crohn's disease who have had an inadequate response to, lost response to, or were intolerant to conventional therapy or a biologic therapy, or if such therapies are not advisable.	Routinely available in line with national guidance, SMC 2534 https://www.scottishmedicines.org.uk/media/7935/risankizu mab-skyrizi-abb-final-dec-2022-updated-250923-for- website.pdf Updates decision 21/11/23	19/12/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
ropeginterferon alfa-2b 250micrograms/0.5 mL solution for injection in pre-filled pen (Besremi®)	<u>2563</u>	As monotherapy in adults for the treatment of polycythaemia vera without symptomatic splenomegaly.	Not routinely available as not recommended for use in NHS Scotland, SMC 2563 https://www.scottishmedicines.org.uk/media/7704/ropegint erferon-alfa-2b-besremi-resub-final-june-2023-forwebsite.pdf	15/08/2023
satralizumab 120mg solution for injection in pre-filled syringe (Enspryng®)	<u>2663</u>	As a monotherapy or in combination with immunosuppressive therapy (IST) for the treatment of neuromyelitis optica spectrum disorders (NMOSD) in adult and adolescent patients from 12 years of age who are antiaquaporin-4 IgG (AQP4-IgG) seropositive.	Not routinely available as not recommended for use in NHS Scotland, SMC 2663 https://www.scottishmedicines.org.uk/media/8165/satralizu mab-enspryng-non-sub-final-feb-2024-for-website.pdf	19/03/2024
secukinumab 150mg, 300mg solution for injection in pre-filled pen, pre- filled syringe (Cosentyx®)	<u>2592</u>	For the treatment of active moderate to severe hidradenitis suppurativa (HS) (acne inversa) in adults with an inadequate response to conventional systemic HS therapy. SMC restriction: for use in adult patients with active moderate to severe HS for whom adalimumab is contraindicated or otherwise unsuitable, including those who have failed to respond or have lost response to prior adalimumab treatment.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	20/02/2024
selpercatinib 40mg, 80mg hard capsules (Retsevmo®)	<u>2573</u>	Monotherapy for the treatment of adults with advanced rearranged during transfection (RET) fusion-positive non-small cell lung cancer (NSCLC) not previously treated with a RET inhibitor. SMC restriction: for use in treatment-naïve patients who have not previously received a RET-inhibitor or any other systemic treatments for their advanced stage of disease.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	21/11/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
selumetinib 10mg, 25mg hard capsules (Koselugo®)	2540	As monotherapy for the treatment of symptomatic, inoperable plexiform neurofibromas (PN) in paediatric patients with neurofibromatosis type 1 (NF1) aged 3 years and above.	Not routinely available as not recommended for use in NHS Scotland, SMC 2540 https://www.scottishmedicines.org.uk/media/7754/selumetinib-koselugo-final-july-2023-for-website.pdf	15/08/2023
semaglutide, 0.25mg, 0.5mg, 1mg, 1.7mg, 2.4mg FlexTouch solution for injection in pre-filled pen (Wegovy®)	2497	As an adjunct to a reduced-calorie diet and increased physical activity for weight management, including weight loss and weight maintenance, in adults with an initial Body Mass Index (BMI) of: - ≥30kg/m² (obesity), or - ≥27kg/m² to <30kg/m² (overweight) in the presence of at least one weight-related comorbidity. SMC restriction: BMI of ≥30kg/m²* in the presence of at least one weight-related comorbidity. Patients should be treated in a specialist weight management service. *a lower BMI cut-off may be more appropriate for members of minority ethnic groups known to be at equivalent risk of the consequences of obesity at a lower BMI than the white population.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	17/10/2023
setmelanotide 10mg/mL solution for injection (Imcivree®)	<u>2647</u>	Treatment of obesity and the control of hunger associated with genetically confirmed Bardet Biedl syndrome (BBS) in adults and children 6 years of age and above.	Not routinely available as not recommended for use in NHS Scotland, SMC 2647 https://www.scottishmedicines.org.uk/media/8027/setmela notide-imcivree-non-sub-final-dec-2023-for-website.pdf	16/01/2024
tafamidis 61mg soft capsules (Vyndaqel®)	<u>2585</u>	For the treatment of wild-type and hereditary transthyretin amyloidosis in adult patients with cardiomyopathy (ATTR-CM).	Not routinely available as the ADTC is waiting for further advice from local clinical experts	21/11/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
tafasitamab 200mg powder for concentrate for solution for infusion (Minjuvi®)	<u>2522</u>	In combination with lenalidomide followed by tafasitamab monotherapy for the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) who are not eligible for autologous stem cell transplant (ASCT).	Not routinely available as not recommended for use in NHS Scotland, SMC 2522 https://www.scottishmedicines.org.uk/media/7566/tafasita mab-minjuvi-final-april-2023-for-website.pdf	16/05/2023
talazoparib 0.25mg, 1mg hard capsules (Talzenna®)	<u>2607</u>	As monotherapy for the treatment of adult patients with germline BRCA1/2-mutations, who have HER2-negative locally advanced or metastatic breast cancer. Patients should have been previously treated with an anthracycline and/or a taxane in the (neo)adjuvant, locally advanced or metastatic setting unless patients were not suitable for these treatments. Patients with hormone receptor (HR)-positive breast cancer should have been treated with a prior endocrine-based therapy, or be considered unsuitable for endocrine-based therapy.	Not routinely available as the ADTC is waiting for further advice from local clinical experts	19/03/2024
tezepelumab 210mg solution for injection in pre-filled syringe (Tezspire®)	<u>2541</u>	As an add-on maintenance treatment in adults and adolescents 12 years and older with severe asthma who are inadequately controlled despite high dose inhaled corticosteroids plus another medicinal product for maintenance treatment. SMC restriction: in adults and adolescents 12 years and older who either (i) experienced at least three exacerbations in the previous year and are not receiving maintenance treatment with oral corticosteroids or (ii) have blood eosinophils ≥150 cells/microlitre and are receiving maintenance treatment with oral corticosteroids.	Routinely available in line with national guidance, SMC 2541 https://www.scottishmedicines.org.uk/media/7758/tezepelu mab-tezspire-final-july-2023-amended-020823-forwebsite.pdf Updates decision 15/08/23	20/02/2024

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
tixagevimab 150mg/mL plus cilgavimab 150mg/mL solution for injection (Evusheld®)	<u>2580</u>	Pre-exposure prophylaxis of COVID-19 in adults who are not currently infected with SARS-CoV-2 and who have not had a known recent exposure to an individual infected with SARS-CoV-2 and: - who are unlikely to mount an adequate immune response to COVID-19 vaccination or - for whom COVID-19 vaccination is not recommended	Not routinely available as not recommended for use in NHS Scotland, NICE TA900 https://www.nice.org.uk/guidance/TA900	20/06/2023
trastuzumab deruxtecan 100mg powder for concentrate for solution for infusion (Enhertu®)	<u>2545</u>	As monotherapy for the treatment of adult patients with unresectable or metastatic HER2-positive breast cancer who have received one or more prior anti-HER2-based regimens. SMC restriction: in patients who have received one prior anti-HER2-based regimen.	Routinely available in line with national guidance, SMC 2545 https://www.scottishmedicines.org.uk/media/7509/trastuzu mab-deruxtecan-enhertu-final-march-amended-030423-for- website.pdf Updates decision 18/04/23	15/08/2023
trastuzumab deruxtecan 100mg powder for concentrate for solution for infusion (Enhertu®)	<u>2608</u>	As monotherapy for the treatment of adult patients with unresectable or metastatic HER2-low breast cancer who have received prior chemotherapy in the metastatic setting or developed disease recurrence during or within 6 months of completing adjuvant chemotherapy.	Routinely available in line with national guidance, SMC 2608 https://www.scottishmedicines.org.uk/media/7996/trastuzu mab-deruxtecan-enhertu-final-nov-2023-amended-011223- for-website.pdf Updates decision 19/12/23	16/01/2024
treosulfan 1g, 5g powder for solution for infusion (Trecondi®)	<u>2527</u>	In combination with fludarabine as part of conditioning treatment prior to allogeneic haematopoietic stem cell transplantation (alloHSCT) in adult patients with malignant and non-malignant diseases, and in paediatric patients older than one month with malignant diseases. SMC restriction: in patients with malignant disease for whom a reduced intensity conditioning regimen is required.	Routinely available from a specialist centre in another health board	20/06/2023

Name	Unique identifier	Condition being treated	NHS Grampian decision	Date of decision
upadacitinib 15mg, 30mg, 45mg prolonged release tablets (Rinvoq®)	<u>2575</u>	For the treatment of adults with moderately to severely active Crohn's disease (CD) who have had an inadequate response, lost response or were intolerant to either conventional therapy or a biologic agent, or for whom such therapies are not advisable.	Routinely available in line with national guidance, SMC 2575 https://www.scottishmedicines.org.uk/media/7611/upadacit inib-rinvoq-abbreviated-final-may-2023-for-website.pdf	20/06/2023
voclosporin 7.9mg soft capsule (Lupkynis®)	<u>2570</u>	In combination with mycophenolate mofetil for the treatment of adult patients with active class III, IV or V (including mixed class III/V and IV/V) lupus nephritis.	Not routinely available as there is a local preference for alternative medicines Updates decision 17/10/23	21/11/2023
vutrisiran 25mg solution for injection in prefilled syringe (Amvuttra®)	<u>2596</u>	For the treatment of hereditary transthyretin-mediated amyloidosis (hATTR amyloidosis) in adult patients with stage 1 or stage 2 polyneuropathy.	Routinely available in line with national guidance, SMC 2596 https://www.scottishmedicines.org.uk/media/7824/vutrisira n-amvuttra-abb-final-aug-2023-for-website-amended- 2508.pdf Updates decision 19/09/23	21/11/2023
zanubrutinib 80mg hard capsules (Brukinsa®)	<u>2600</u>	As monotherapy for the treatment of adult patients with chronic lymphocytic leukaemia (CLL). SMC restriction : For adults with CLL in whom chemo-immunotherapy is unsuitable.	Routinely available in line with national guidance, SMC 2600 https://www.scottishmedicines.org.uk/media/7866/zanubru tinib-brukinsa-abb-final-sept-2023-for-website.pdf Updates decision 17/10/23	21/11/2023